





 **Blade LED**

 **EKTA**

DIP

SMD




	Indoor	Outdoor
Pixel pitch, mm	8 - 12	8 - 25
Maximum brightness, NIT	3,500	5,000 - 6,500
Color processing, bit	16	
Minimum viewing distance, m	6 - 10	6 - 20
Lifetime	> 100,000 hours (> 11.5 years 24/7)	

FIXED INSTALLATION TYPE



- ✓ **High color performance at a low brightness**
- ✓ **Energy saving**
- ✓ **Remote control and diagnostics**
- ✓ **Front maintenance**



Front maintenance system



Easy and quick access to all connections



Fast service



Needs very small space behind for structure, cables and ventilation



Ultrathin module



Lightweight



Controlled by ERMAC

HEAD OFFICE



UKRAINE
Turivska str., 31, office 9
04080 Kyiv
Tel.: +38 044 428 7315
Fax: +38 044 428 7319
E-mail: office@ekta-led.com
www.ekta-led.com

KEY REPRESENTATIVE OFFICES



GERMANY
Lilienthal Str. 5
34123 Kassel
Tel: +49 0 561-8907999-6
Fax: +49 0 561-8907999-4
E-mail: info@ektavision.de
www.ektavision.de



FRANCE
VIDELIO-Events + Utram
16 Avenue Galilée
92350 Le Plessis Robinson
Tel: +33 1 40 92 50 00
contact@videlio-events.com
www.videlio-events.com



RUSSIA
Mira av., VVC, building 69
4th floor, Moscow
Tel.: +7 495 221 1925
Fax: +7 495 221 1925
E-mail: arenda@plasmatech.ru
www.plasmatech.ru